
OYSTER 675
OYSTER

OYSTER 675

A VERSATILE PERFORMER

The Oyster 675 is a sub-70-foot yacht that has versatility designed-in from the keel up.

She is capable of laid-back coastal cruising with your family and friends or long-distance deepwater ocean crossings with a crew. To make these extended voyages easier, she has lots of storage throughout and exceptionally large tankage.

PRACTICALITY AND LUXURY COMBINED

Luxurious comfort is the key to the 675's appeal. Offering a large volume below decks, she presents a range of options you can tailor to suit your personal preferences. The spacious saloon is flooded with light from the triple vertical seascape windows on either side.

Life onboard is easy. There are options to customise her interior layout to accommodate any combination of family, friends and crew with a choice of hand-crafted finishes. The practical U-shaped galley offers plenty of space to practise your gourmet skills at sea.

FEATURES

- **Three double en-suite guest cabins**
- **Separate crew quarters for privacy (optional)**
- **Generous owner's cabin with optional layouts including fore or aft positioning**
- **Generator and air-conditioning standard**
- **Easily accessible engineering features**
- **Retractable bow and stern thrusters as standard**
- **Hydraulic push-button, in-mast furling as standard**
- **Clutter-free flush teak deck**
- **Rob Humphreys' powerful G6 twin rudder hull**
- **Lloyd's Register certified hull and deck moulding**
- **Renowned Oyster build quality**

OYSTER 675

EXTERIOR


BAHANA











BABIANA









OYSTER 675

INTERIOR



OYSTER 675-02

Crown cut teak joinery with oak sole and paneled bulkheads











OYSTER 675-03 CHIONE
Quarter sawn teak joinery with teak sole











OYSTER 675-01
Horizontal limed oak joinery with walnut sole








OYSTER 675

OYSTER 675


SPECIFICATION

Length overall including stemhead	21.07m / 69’2”
Length of hull	19.89m / 65’3”
Length of waterline	18.31m / 60’1”
Beam	5.65m / 18’6”
Draft - standard keel	2.95m / 9’8”
Displacement - standard keel	40,787kg / 89,920lbs
Typical engine	Volvo Penta D4-180 132kW (180hp)
Tanks - fuel	1,780 litres / 391 Imp Gallons (470 US gals)
Tanks - water	1,270 litres / 279 Imp Gallons (335 US gals)
Sail area - including 105% foretriangle	229m^2 / 2,465ft^2
Air draft approx, excluding antennae	31.33m / 102’9”

OYSTER 675


PLANS

OYSTER 675
SAIL PLAN




OYSTER 675

STANDARD DECK PLAN




OYSTER 675

STANDARD PROFILE & DECK PLAN




OYSTER 675

EXTENDED TRANSOM PROFILE & DECK PLAN




OYSTER 675

STANDARD LAYOUT




OYSTER 675

ALTERNATIVE LAYOUT 1



OYSTER 675


ALTERNATE LAYOUT 2




OYSTER 675

ALTERNATIVE STERN OPTIONS


STANDARD STAIR TERRACE STERN






OYSTER 675

OPENING BATHING PLATFORM STERN





OYSTER 675
EXTENDED TRANSOM STERN

