

THE GO-ANYWHERE YACHT

The go-anywhere Oyster 745 with retractable centreboard keel opens up a world of possibilities.

Reducing the draft from 3.10m/10'2" to a remarkable 1.98m/6'6" means you can cruise or anchor anywhere you choose with complete confidence. The shallow-draft also acts as a safety measure, providing more options to tuck into safe anchorages, marinas and river inlets at a moment's notice.

A YACHT WITH DEPTH AND BREADTH

The new Oyster 745 Centreboard variant is paired with a carbon mast and boom and carbon composite standard rigging, all designed to maximise stability and balance, while reducing weight for optimum performance under sail.

The retractable centreboard is raised and lowered at the touch of a button from the helm station. The centreboard swings up inside the shallow-draft ballast keel to give you maximum clearance of the seabed.

The 745 Centreboard is perfect to sail shorthanded, thanks to the built-in automated sailing technology. If you wish to take a full crew, there is a choice of alternative interior layouts with flexible and discreet crew quarters, offering you and your guests complete privacy if required.

The spacious and luxurious living space offers five cabins (four double ensuite) with the latest technology, navigation equipment and infotainment options. Add the practical, well-equipped galley, rain showers and electric toilets and the 745 becomes a home-from-home in a wide choice of locations.

FEATURES

- Centreboard keel (best of both world's)
- · Reduced draft of 1.98m/6'6"
- Five cabins, four double ensuite
- Separate crew quarters
- Large volume light and airy interiors
- Large storage and tank facilities
- Forced Air Ventilation system
- Alternative interior layouts available
- · Easily accessible engineering features
- · Opening forward saloon windows
- Lloyds Register Certified hull and deck



EXTERIOR





















O Y S T E R 7 4 5 C E N T R E B O A R D

INTERIOR
















SPECIFICATION



SPECIFICATION

Length overall including stemhead	22.74m / 74'7"
Length of hull	21.93m / 71'11"
Length of waterline	20.03m I 65'9"
Beam	5.91m / 19'5"
Draft - standard keel	3.10m / 10'2"
Draft - centreboard up	1.98m / 6'6"
Draft - centreboard down	4.56m / 14'11"
Displacement - standard keel	53,957kg / 118,955lbs
Typical engine	Cummins Turbo-charged QSB6.7-250 184kW (247hp)
Tanks - fuel	2,000 litres/ 440 Imp Gallons (528 US gals)
Tanks - water	1,500 litres/ 330 Imp Gallons (396 US gals)
Sail area - including 105% foretriangle	279.33m2 / 3007ft2
Air Draft approx. excluding Antennae	33.80m l 110·11"



PLANS



STANDARD TRANSOM





OYSTER 745 CENTREBOARD EXTENDED TRANSOM





OYSTER 745 CENTREBOARD CENTREBOARD KEEL



CENTREBOARD KEEL







DECK PLAN





STANDARD LAYOUT





STANDARD TRANSOM WITH BATHING PLATFORM





EXTENDED TRANSOM WITH BATHING PLATFORM





OYSTER YACHTS. THE WORLD IS YOURS.

For more information call: +44 (0) 1473 851 436 or email: sales@oysteryachts.com



